





FOR APPROVAL



PROJECT:	211003
PROJECT NUMBER:	R05B
OWNER:	
DESIGNER:	
ENGINEER:	
CONTRACTOR:	
DATE:	
LOCATION:	
FOUNDATION REINFORCEMENT	



LAP SCHEDULE	
SIZE	48 BAR Ø
#3	18"
#4	24"
#5	30"
#6	36"
#7	42"
#8	48"
#9	55"
#10	61"

FOR APPROVAL

PROJECT NUMBER: 211003	DRAWING COVERS: SITE RETAINING WALL AND FOUNDATION REINFORCEMENT	FOOTING - - -	DATE: 08/25/16	CONTRACTOR: ROSC	NOTES: 1. THIS DRAWING IS TO BE USED IN CONJUNCTION WITH ARCHITECTURAL AND STRUCTURAL DRAWINGS. THE FULL INTENT OF THIS DRAWING IS FOR THE PLACING OF REINFORCING STEEL ONLY. 2. ALL REINFORCING BARS ASTM A 615 GRADE 60, U.N.O. 3. ALL BENDING TYPES AND CLEARANCES PER STANDARD ACI/CRS CODE U.N.O.	LEGEND: FTG = FOOTING DWL = DOWELS TYP = TYPICAL EF = EACH FACE ES = EACH SIDE EB = END BEAM GB = GRADE BEAM STB = STREET BEAM TOW = TOP OF WALL MK = MARK NUMBER NC = NOT CONTRACTED NUC = NOT IN CONTRACT OTHERWISE			
							REV.	DATE	DESCRIPTION
							0	08/25/16	FOR APPROVAL
							1		
							2		
							3		